Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssspta1612bxr

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

*	*	*	* *	* *	* *	* Welcome to STN International * * * * * * * *
	NEW	S	1			Web Page for STN Seminar Schedule - N. America
	NEW	S	2	JAN	12	Match STN Content and Features to Your Information Needs, Quickly and Conveniently
	NEW	s	3	JAN	25	Annual Reload of MEDLINE database
	NEW		4			STN Express Maintenance Release, Version 8.4.2, Is Now Available for Download
	NEW	S	5	FEB	16	Derwent World Patents Index (DWPI) Revises Indexing of Author Abstracts
-	NEW	S	6	FEB	16	New FASTA Display Formats Added to USGENE and PCTGEN
	NEW	S	7	FEB	16	INPADOCDB and INPAFAMDB Enriched with New Content and Features
	NEW	S	8	FEB	16	INSPEC Adding Its Own IPC codes and Author's E-mail Addresses
	NEW	S	9	APR	02	CAS Registry Number Crossover Limits Increased to 500,000 in Key STN Databases
	NEW	S	10	APR	02	PATDPAFULL: Application and priority number formats enhanced
	NEW	S	11	APR	02	DWPI: New display format ALLSTR available
	NEW	S	12	APR	02	New Thesaurus Added to Derwent Databases for Smooth Sailing through U.S. Patent Codes
	NEW	S	13	APR	02	EMBASE Adds Unique Records from MEDLINE, Expanding Coverage back to 1948
	NEW	S	14	APR	07	CA/CAplus CLASS Display Streamlined with Removal of Pre-IPC 8 Data Fields
	NEW	S	15	APR	07	50,000 World Traditional Medicine (WTM) Patents Now Available in CAplus
	NEW	S	16	APR	07	MEDLINE Coverage Is Extended Back to 1947
	NEW	S	EXP	RESS		RUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2, CURRENT DISCOVER FILE IS DATED 15 JANUARY 2010.
			HOU			N Operating Hours Plus Help Desk Availability lcome Banner and News Items
E	n+ a	r	NEW	S fo	11000	ad by the item number or name to see news on that

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial

gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

FILE 'HOME' ENTERED AT 15:26:48 ON 01 JUN 2010

=> file rea

COST IN U.S. DOLLARS

FULL ESTIMATED COST

SINCE FILE TOTAL ENTRY SESSION 0.22 0.22

FILE 'REGISTRY' ENTERED AT 15:26:57 ON 01 JUN 2010 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT. PLEASE SEE "HELP USAGETERMS" FOR DETAILS. COPYRIGHT (C) 2010 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 31 MAY 2010 HIGHEST RN 1226488-46-5 DICTIONARY FILE UPDATES: 31 MAY 2010 HIGHEST RN 1226488-46-5

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 8, 2010.

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

Uploading C:\Documents and Settings\brobinson1\My Documents\e-Red Folder\adfafafafaf.str

L1 STRUCTURE UPLOADED

=> s 11

SAMPLE SEARCH INITIATED 15:30:47 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 257371 TO ITERATE

0.8% PROCESSED 2000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED) SEARCH TIME: 00.00.01

0 ANSWERS

FULL FILE PROJECTIONS: ONLINE **INCOMPLETE** BATCH **INCOMPLETE** PROJECTED ITERATIONS: 5117662 TO 5177178

PROJECTED ANSWERS:

0 SEA SSS SAM L1

Uploading C:\Documents and Settings\brobinson1\My Documents\e-Red Folder\adfasfafafaf.str

STRUCTURE UPLOADED 1.3

=> s 13

SAMPLE SEARCH INITIATED 15:31:40 FILE 'REGISTRY' SAMPLE SCREEN SEARCH COMPLETED - 7303 TO ITERATE

27.4% PROCESSED 2000 ITERATIONS INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE** BATCH **COMPLETE**

PROJECTED ITERATIONS: 140936 TO 151184 PROJECTED ANSWERS: 63 TO 521

4 SEA SSS SAM L3

=> s 13 full

THE ESTIMATED SEARCH COST FOR FILE 'REGISTRY' IS 191.05 U.S. DOLLARS DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y) /N or END:v

4 ANSWERS

537 ANSWERS

TOTAL ENTRY SESSION

195.68

SINCE FILE

195.46

FULL SEARCH INITIATED 15:31:46 FILE 'REGISTRY' FULL SCREEN SEARCH COMPLETED - 147332 TO ITERATE

100.0% PROCESSED 147332 ITERATIONS

SEARCH TIME: 00.00.13

1.5 537 SEA SSS FUL L3

=> file hcaplus

COST IN U.S. DOLLARS

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

FILL ESTIMATED COST

FILE 'HCAPLUS' ENTERED AT 15:32:10 ON 01 JUN 2010 USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 1 Jun 2010 VOL 152 ISS 23
FILE LAST UPDATED: 31 May 2010 (20100531/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Apr 2010
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 2010

JSPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Apr 201

HCAplus now includes complete International Patent Classification (IPC) reclassification data for the second quarter of 2010.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s 15 L6 40 L5

=> s 16 and bold, g?/au 109 BOLD, G?/AU L7 5 L6 AND BOLD, G?/AU

=> d 17, ibib abs fhitstr, 1-5
THE ESTIMATED COST FOR THIS REQUEST IS 29.05 U.S. DOLLARS
DO YOU WANT TO CONTINUE WITH THIS REQUEST? (Y)/N:y

L7 ANSWER 1 OF 5 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2004:515506 HCAPLUS

DOCUMENT NUMBER: 141:71453

TITLE: Preparation of anthranilic acid amide derivatives as neoplastic inhibitors

INVENTOR(S): Bold, Guido; Furet, Pascal; Manley, Paul

William

PATENT ASSIGNEE(S): Novartis Ag, Switz.; Novartis Pharma GmbH SOURCE: PCT Int. Appl., 81 pp.

CODEN: PIXXD2
DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PA:	ENT :	NO.			KIN	D	DATE		1	APPL	ICAT	ION	NO.		D.	ATE	
						-									-		
WO	2004	0528	84		A1		2004	0624	1	WO 2	003-	EP14	086		2	0031	211
	W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BW,	BY,	BZ,	CA,	CH,
		CN,	CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,
		GE,	GH,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KΡ,	KR,	ΚZ,	LC,	LK,
		LT,	LU,	LV,	MA,	MD,	MK,	MN,	MX,	NI,	NO,	NZ,	OM,	PG,	PH,	PL,	PT,
		RO,	RU,	SC,	SE,	SG,	SK,	SY,	ТJ,	TM,	TN,	TR,	TT,	UA,	US,	UΖ,	VC,
		VN,	YU,	ZA,	ZW												
	RW:	AM,	ΑZ,	BY,	KG,	ΚZ,	MD,	RU,	ТJ,	TM,	AT,	BE,	BG,	CH,	CY,	CZ,	DE,
		DK,	EE,	ES,	FΙ,	FR,	GB,	GR,	HU,	IE,	IT,	LU,	MC,	NL,	PT,	RO,	SE,
		SI,	SK,	TR													
CA	2506	164			A1		2004	0624	(CA 2	003-	2506	164		2	0031	211
AU	2003	2948	34		A1		2004	0630		AU 2	003-	2948	34		2	0031	211
EP	AU 2003294834 EP 1572686				A1		2005	0914	1	EP 2	003-	7857	95		2	0031	211

EP	15726	86			B1	2	2009	0415										
	R:	AT,	BE,	CH,	DE, I	οĸ,	ES,	FR,	GB,	GF	٦,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
		IE,	SI,	LT,	LV, E	ï,	RO,	MK,	CY,	ΑI	٠,	TR,	BG,	CZ,	EE,	HU,	SK	
BR	20030	1729	92		A	2	2005	1108		BR	20	03-	1729	2		2	0031	211
CN	17202	244			A	2	2006	0111		CN	20	03-	8010	4845		2	0031	211
CN	10042	27483	3		C	2	2008	1022										
JP	20065	115	18		T	2	2006	0406		JΡ	20	04 -	5580	75		2	0031	211
AT	42870	9			T	2	2009	0515		AΤ	20	03-	7857	95		2	0031	211
PT	15726	86			E	2	2009	0714		PΤ	20	03-	7857	95		2	0031	211
ES	2324	31			Т3	2	2009	0810		ES	20	03-	7857	95		2	0031	211
US	20060	1286	584		A1	2	2006	0615		US	20	05-	5381	99		2	0050	609
PRIORITY	APP1	N. :	INFO	. :						GB	20	02-	2902	2		A 2	0021	212
										WO	20	03-	EP14	086		W 2	0031	211
OTHER SC	URCE	(S):			MARPA	AT 1	l41:	71453	3									
CT																		

- AB The title compds. I [wherein R and R0 = independently H, halo, (un) substituted alkyl, alkenyl, alkynyl, aryl, heteroaryl, etc.; R1 = H, halo, (un) substituted alkyl, alkenyl, alkynyl, alkoxy, OCF3, OCH2CF3, OCH2CH2CF3, or OCH2CH2CH2CF3; R2 = perfluoroalkyl; R3 = H or halo; X = OH, alkoxy, alkylthio, imino, alkylimino, halo, etc.; Z = N or CH] or salts, N-oxides, or tautomers thereof are prepared as neoplastic inhibitors for the treatment of human or animal body. For example, the compound II was prepared in a multi-step synthesis. Formulations containing I as an active ingredient were also described.
- ΙT 1055921-40-8
 - RL: PRPH (Prophetic)
 - (Preparation of anthranilic acid amide derivatives as neoplastic inhibitors)
- 1055921-40-8 HCAPLUS RN
- CN Benzamide, 2-[[(1,6-dihydro-6-oxo-3-pyridinyl)methyl]amino]-N-[3-[(4methyl-1-piperazinyl)methyl]-5-(trifluoromethyl)phenyl]- (CA INDEX NAME)

8 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 2 OF 5 HCAPLUS COPYRIGHT 2010 ACS on STN ACCESSION NUMBER: 2003:376825 HCAPLUS

DOCUMENT NUMBER: 138:385308

TITLE: Preparation of anthranilic acid amides and their use

as vascular endothelial growth factor receptor

THERE ARE 8 CITED REFERENCES AVAILABLE FOR THIS

tyrosine kinase inhibitors

INVENTOR(S): Bold, Guido; Furet, Pascal; Manley, Paul

William

PATENT ASSIGNEE(S): Novartis AG, Switz.; Novartis Pharma Gmbh

SOURCE: PCT Int. Appl., 31 pp.

CODEN: PIXXD2 DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

REFERENCE COUNT:

PAT	ENT	NO.			KIN	D	DATE			APPL	ICAT	ION I	NO.		D.	ATE	
WO	2003	0401	02		A1		2003	0515		WO 2	002-	EP12	444		2	0021	107
	W:	ΑE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
		co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,
		HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LT,	LU,
		LV,	MA,	MD,	MK,	MN,	MX,	NO,	NZ,	OM,	PH,	PL,	PT,	RO,	RU,	SE,	SG,
		SI,	SK,	ТJ,	TM,	TN,	TR,	TT,	UA,	US,	UZ,	VC,	VN,	YU,	ZA,	zw	
	RW:	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,
		LU,	MC,	NL,	PT,	SE,	SK,	TR									
TW	2602	22			В		2006	0821		TW 2	002-	9113	2669		2	0021	106
CA	2463	968			A1		2003	0515		CA 2	002-	2463	968		2	0021	107
	2002									AU 2	002-	3519	09		2	0021	107
ΑU	2002	3519	09		B2		2007	0426									
ΕP	1446	382			A1		2004	0818		EP 2	002-	7875	95		2	0021	107
	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,
		IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR,	BG,	CZ,	EE,	SK		
BR	2002	0139	70		A		2004	0831		BR 2	002-	1397	0		2	0021	107
CN	1585	750			Α		2005	0223		CN 2	002-	8222	ng		21	0021	107

CN 1300113	C	20070214				
JP 2005511602	T	20050428	JP	2003-542148		20021107
NZ 532590	A	20051223	NZ	2002-532590		20021107
RU 2318811	C2	20080310	RU	2004-117543		20021107
ZA 2004002940	A	20050210	ZA	2004-2940		20040419
US 20050096356	A1	20050505	US	2004-494591		20040505
US 7091224	B2	20060815				
IN 2004CN00972	A	20060203	IN	2004-CN972		20040506
HR 2004000411	A2	20050430	HR	2004-411		20040507
NO 2004002187	A	20040526	NO	2004-2187		20040526
NO 327231	B1	20090518				
US 20060178409	A1	20060810	US	2006-374720		20060314
US 7482369	B2	20090127				
PRIORITY APPLN. INFO.:			GB	2001-26902	A	20011108
			WO	2002-EP12444	W	20021107
			US	2004-494591	A1	20040505
ACCIONMENT DICTORY FOR HE	DATENT	שופהודהעה י	TM I	CITE DIEDIAV PODM	7. T	

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OTHER SOURCE(S): MARPAT 138:385308

GI

$$\begin{array}{c} \text{O} \\ \text{NH} \\ \text{R}^2 \\ \\ \text{N} \\ \text{X} - \text{R}^1 \\ \end{array} \quad \text{I}$$

- AB Anthranilic acid amide derivs. [I, Rl, R2 = H, lower alkyl; R3 = lower perfluoroalkyl; X = 0, S; e.g., 2=[(6-Methoxy-3-pyridinyl)methyl)amino-N-[3-(trifluoromethyl)phenyl]benzamide hydrochloride, m.p. 133-135°], which are vascular endothelial growth factor receptor tyrosine kinase inhibitors for the treatment of neoplastic disease, of retinopathy or age-related macular degeneration, are prepared and a I-containing formulation presented (e.g., a soft capsule).
- IT 524941-34-2
 - RL: RCT (Reactant); RACT (Reactant or reagent)
 (in the preparation of anthranilic acid amides)
- RN 524941-34-2 HCAPLUS
- CN Benzamide, 2-[[(6-methoxy-3-pyridinyl)methyl]amino]-N-[4-(2-propyn-1-yl)-3-(trifluoromethyl)phenyl]- (CA INDEX NAME)

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD

(4 CITINGS)
REFERENCE COUNT: 1 THERE ARE 1

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD, ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 3 OF 5 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2003:376824 HCAPLUS

DOCUMENT NUMBER: 138:368777

TITLE: Preparation of pyridyl-substituted anthranilic acid amides for treating neoplastic disease

INVENTOR(S): Bold, Guido; Furet, Pascal; Manley, Paul

William

PATENT ASSIGNEE(S): Novartis AG, Switz.; Novartis Pharma Gmbh SOURCE: PCT Int. Appl., 33 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English

FAMILY ACC. NUM. COUNT: 1 PATENT INFORMATION:

	ENT I															ATE	
	2003															0021	107
	W:	AE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
		co,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	ES,	FI,	GB,	GD,	GE,	GH,
		HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LT,	LU,
		LV,	MA,	MD,	MK,	MN,	MX,	NO,	NZ,	OM,	PH,	PL,	PT,	RO,	RU,	SC,	SE,
		SG,	SI,	SK,	TJ,	TM,	TN,	TR,	TT,	UA,	US,	UZ,	VC,	VN,	YU,	ZA,	ZW
	RW:	AT,	BE,	BG,	CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,
		LU,	MC,	NL,	PT,	SE,	SK,	TR									
TW	2609 2462	85			В		2006	0901		TW 2	002-	9113	2668		2	0021	106
CA	2462	390			A1		2003	0515		CA 2	002-	2462	390		2	0021	107
AU	2002	3428	89		A1		2003	0519		AU 2	002-	3428	89		2	0021	107
	2002																
EP	1446	381			A1		2004	0818		EP 2	002-	7795	36		2	0021	107
	R:						ES,										PT,
							RO,										
BR	2002	0139	39		A		2004	0831		BR 2	002-	1393	9		2	0021	107
CN	1578 1004	768			A		2005	0209		CN 2	002-	8214	30		2	0021	107
CN	1004	6745	0		C		2009	0311									
JP	2005	5083	82		T		2005	0331		JP 2	003-	5421	47		2	0021	107
	4179																
	5325																
	5439																
RU	2315	756			C2		2008	0127		RU 2	004-	1175	48		2	0021	107

US 20040248947	A1	20041209	US	2004-494222		20040503
US 7067543	B2	20060627				
IN 2004CN00973	A	20060203	IN	2004-CN973		20040506
MX 2004004390	A	20050516	MX	2004-4390		20040507
HR 2004000412	A2	20050630	HR	2004-412		20040507
NO 2004002137	A	20040525	NO	2004-2137		20040525
NO 326986	B1	20090330				
ZA 2004002623	A	20060531	ZA	2004-2623		20060328
PRIORITY APPLN. INFO.:			GB	2001-26901	A	20011108
			GB	2002-12917	A	20020605
			NZ	2002-532587	A3	20021107
			MO	2002-EP12445	747	20021107

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OTHER SOURCE(5): MARPAT 138:368777

GI

- AB The title compods. [I; Ar = II (wherein Ra = H, alkyl; and Rl = H, perfluoroalkyl; R2 = H, halo, alkyl, alkenyl, alkynyl); or Ar = 4-pyridyl and Rl = perfluoroalkyl; R2 = Br, I, alkyl, alkenyl, alkynyl; or Rr = H, and R2 = F, Br, I, Et, alkyl, alkenyl or alkynyl and their N-oxides and salts, useful for the treatment especially of a neoplastic disease, such as a tumor disease, of retinopathy or age-related macular degeneration in the human or animal body, were prepared and formulated. Thus, reductive amination of 4-pyridinecarboxaldehyde with 2-amino-N-(4-bromo-3-trifluoromethylphenyl)benzamide (preparation given) in the
- presence of NaBH3CN afforded I [Ar = 4-pyridyl; R1 = CF3; R2 = Br]. The IC50-values that can be found for the compds. I are in range of 0.001 to 1 µM in test for activity against VEGF-receptor tyrosine kinase.

 IT 524728-97-0P
- RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
 - (preparation of pyridyl-substituted anthranilic acid amides for treating neoplastic disease)
- RN 524728-97-0 HCAPLUS
- CN Benzamide, N-[4-bromo-3-(trifluoromethyl)phenyl]-2-[[(6-methoxy-3-pyridinyl)methyl]amino]- (CA INDEX NAME)

OS.CITING REF COUNT: 3 THERE ARE 3 CAPLUS RECORDS THAT CITE THIS RECORD

(3 CITINGS)
REFERENCE COUNT: 1 THERE ARE 1

REFERENCE COUNT: 1 THERE ARE 1 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 4 OF 5 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2001:565010 HCAPLUS

DOCUMENT NUMBER: 135:137407 TITLE: Preparation

TITLE: Preparation of 2-aminonicotinamides as VEGF-receptor tyrosine kinase inhibitors

tyrosine kinase inhibitors
INVENTOR(S): Manley, Paul William; Bold, Guido

PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis-Erfindungen

Verwaltungsgesellschaft m.b.H.
SOURCE: PCT Int. Appl., 66 pp.

SOURCE: PCT Int. Appl., 66 pp. CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

	TENT :											ION :					
WO	2001	0551	14		A1		2001	0802		WO 2	001-	EP83	5		2	0010	125
	W:	AE,	AG,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	BZ,	CA,	CH,	CN,
		CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,
		HU,	ID,	IL,	IN,	IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,
		LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NO,	NZ,	PL,	PT,	RO,	RU,
		SD,	SE,	SG,	SI,	SK,	SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,
		YU,	ZA,	ZW													
	RW:						MZ,										
		DE,	DK,	ES,	FI,	FR,	GB,	GR,	ΙE,	IT,	LU,	MC,	NL,	PT,	SE,	TR,	BF,
							GA,										
CA	2396	590			A1		2001	0802		CA 2	001-	2396	590		2	0010	125
	2001									AU 2	001-	2849	9		2	0010	125
	7716																
	2001																
	1259									EP 2	001-	9468	54		2	0010	125
EP	1259																
	R:						ES,					LI,	LU,	NL,	SE,	MC,	PT,
		IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL,	TR						405
	2002									HU 2	002-	4083			2	0010	125
HU	2002	0040	83		A3		2005	0329		TD 0	0.01						105
JP	2003	5208	53		T		2003	0 / 08		JP Z	001-	5550	56		2	0010	125
	3894 5200										0.0.7		0.5		^	0070	3.05
NΖ	5200	UD			A		∠004	0227		NZ 2	UU1-	5Z00	UD		- 2	0010	125

CN	12168	367			C		2005	0831		CN	2001-	8042	33			20	010	125
RU	22961	124			C2		2007	0327		RU	2002-	1216	45			20	010	125
IL	15048	31			A		2009	0922		IL	2001-	1504	81			20	010	125
AT	45288	30			T		2010	0115		AΤ	2001-	9468	54			20	010	125
PT	12594	187			E		2010	0326		PT	2001-	9468	54			20	010	125
EP	21689	48			A1		2010	0331		EΡ	2009-	1790	64			20	010	125
	R:	AT,	BE,	CH,	CY,	DE,	DK,	ES,	FI,	FF	R, GB,	GR,	IE,	IT,	LI	Ι,	LU,	MC,
		NL,	PT,	SE,	TR,	RO,	SI											
ES	23384	107			Т3		2010	0507		ES	2001-	9468	54			20	010	125
NO	20020	2002003218					2002	0916		NO	2002-	3218				20	020	702
NO	32382	26			B1		2007	0709										
US	20030	0326	556		A1		2003	0213		US	2002-	1810	05			20	020	711
US	66241	174			B2		2003	0923										
MX	20020	073	19		A		2002	1129		MX	2002-	7319				20	020	726
ZA	20020	0591	38		A		2003	0728		ZA	2002-	5988				20	020	726
IN	22465	52			A1		2008	1205		IN	2002-	CN11	50			20	020	726
HK	10508	395			A1		2005	1230		HK	2003-	1030	30			20	030	429
PRIORITY	Y APPI	N. :	INFO	. :						GB	2000-	1930			A	20	000	127
										EΡ	2001-	9468	54		A3	20	010	125
										WO	2001-	EP83	5		W	20	010	125
OTHER SO	DURCE	(S):			MARE	PΑT	135:	13740)7									

OTHER SOURCE(S):

MARPAI 135:13/40

- AB The title compds. [I; n = 1-6; W = 0, S; Rl, R3 = H, alkyl, acyl; R2 = (un)substituted cycloalkyl, aryl, mono- or bicyclic heteroaryl comprising one or more ring N atoms and 0-2 heteroatoms selected from 0 and S; R, R' = H, alkyl; X = (un)substituted aryl, mono- or bicyclic heteroaryl comprising one or more ring N atoms and 0-2 heteroatoms selected from 0 and S] and their pharmaceutically acceptable salts, useful for therapy of a disease which responds to an inhibition of the VEGF-receptor tyrosine kinase activity (such as neoplastic disease), were prepared and formulated. Thus, amidation of 3-aminobenzotrifluoride with 2-chloronicotinoyl chloride followed by reacting 4-pyridineethanamine with the resulting carboxamide afforded I [n = 2; R, R' = H; X = 4-pyridyl; W = 0; Rl, R3 = H; R = 3-(FEJCGH4).
- IT 35227-59-6P RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USBS (Uses)

(preparation of 2-aminonicotinamides as VEGF-receptor tyrosine kinase inhibitors)

- RN 352227-59-9 HCAPLUS
- CN 3-Pyridinecarboxamide, 2-[[(6-methoxy-3-pyridiny1)methy1]amino]-N-[3-

(trifluoromethyl)phenyl]- (CA INDEX NAME)

OS.CITING REF COUNT: 22 THERE ARE 22 CAPLUS RECORDS THAT CITE THIS

RECORD (26 CITINGS)

REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L7 ANSWER 5 OF 5 HCAPLUS COPYRIGHT 2010 ACS on STN

ACCESSION NUMBER: 2000:335388 HCAPLUS

DOCUMENT NUMBER: 132:347491

TITLE: Preparation of N-aryl(thio)anthranilic acid amides as VEGF receptor tyrosine kinase inhibitors

INVENTOR(S): Altmann, Karl-Heinz; Bold, Guido; Furet,

Pascal; Manley, Paul William; Wood, Jeanette Marjorie; Ferrari, Stefano; Hofmann, Francesco; Mestan, Jurgen;

Huth, Andreas; Kruger, Martin; Seidelmann, Dieter; Menrad, Andreas; Haberey, Martin; Thierauch,

Karl-Heinz
PATENT ASSIGNEE(S): Novartis A.-G., Switz.; Novartis-Erfindungen

Verwaltungsgesellschaft m.b.H.; Schering

Aktiengesellschaft

SOURCE: PCT Int. Appl., 77 pp.

CODEN: PIXXD2
DOCUMENT TYPE: Patent

LANGUAGE: English FAMILY ACC. NUM. COUNT: 2

PATENT INFORMATION:

PATE	ENT 1	. OP			KIN	D	DATE		- 2	APPL	ICAT:	ION I	NO.		D	ATE	
						-											
WO 2	2000	0278:	20		A1		2000	0518	1	WO 1:	999-1	EP85	45		1:	9991	108
	W:	ΑE,	AL,	AM,	AT,	AU,	AZ,	BA,	BB,	BG,	BR,	BY,	CA,	CH,	CN,	CR,	CU,
		CZ,	DE,	DK,	EE,	ES,	FI,	GB,	GD,	GE,	GH,	GM,	HR,	HU,	ID,	IL,	IN,
		IS,	JP,	KE,	KG,	KP,	KR,	KZ,	LC,	LK,	LR,	LS,	LT,	LU,	LV,	MA,	MD,
		MG,	MK,	MN,	MW,	MX,	NO,	NZ,	PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK,
		SL,	TJ,	TM,	TR,	TT,	TZ,	UA,	UG,	US,	UZ,	VN,	YU,	ZA,	ZW		
	RW:	GH,	GM,	KE,	LS,	MW,	SD,	SL,	SZ,	TZ,	UG,	ZW,	AT,	BE,	CH,	CY,	DE,
		DK,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,
		CG.	CI.	CM.	GA.	GN.	GW,	ML.	MR.	NE.	SN.	TD.	TG				

CA	2346898	A1	20000518	CA 1999-2346898	19991108
	9915210	A	20010724	BR 1999-15210	19991108
TR	2001001237	T2	20010821	TR 2001-1237	19991108
EP	1129075	A1	20010905	EP 1999-971802	19991108
	R: AT, BE,	CH, DE,	DK, ES, FR,	GB, GR, IT, LI, LU, NL,	, SE, MC, PT,
	IE, SI,	LT, LV,	FI, RO		
HU	2001004188	A2	20020328	HU 2001-4188	19991108
	2001004188				
	2002529453			JP 2000-581000	19991108
	758230	B2			19991108
	511339	A	20030725	NZ 1999-511339	19991108
	1152014	C	20040602	CN 1999-813108	19991108
	2286338	C2		RU 2001-114978	19991108
	299829	B6			19991108
	287259	B6		SK 2001-628	19991108
	2001001894	A		NO 2001-1894	20010417
	328130	B1			
	2001003290	A	20030123		20010423
	2001004256	A	20030606	MX 2001-4256	20010427
	20020019414	A1		US 2001-850434	20010507
	6448277	B2			
	2001CN00638	A		IN 2001-CN638	20010508
	2001004673	A	20020909		20010607
	20030064992	A1		US 2002-180289	20020626
	6878720	B2			
	20040198782	A1		US 2004-828951	20040421
	7002022	B2			
	20060074112	A1	20060406	US 2005-254897	20051020
PRIORITY	APPLN. INFO	.:		GB 1998-24579	A 19981110
				WO 1999-EP8545	W 19991108
				US 2001-850434	A3 20010507
				US 2002-180289	A3 20020626
				US 2004-828951	A3 20040421

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT OTHER SOURCE(S): MARPAT 132:347491 GI

AB Use of title compds. I; W = O, S; X = NR8; Y = CS9R10(CH2)n, SO2; R9, R10 = H, alkyl; n = 0-3; R1 = aryl; R2 = mono- or bicyclic heteroaryl with the exception that R2 cannot = 2-phthalimidyl, and when Y = SO2 cannot represent 2,1,3-benzothiadiazol-4-yl; R3-R6 = H, substituent; R7, R8 = H, alkyl; or a N-oxide or a pharmaceutically acceptable salt thereof, for the preparation of a pharmaceutical product for the treatment of a neoplastic disease which responds to an inhibition of the VEGF receptor tyrosine

STNhjuyiuy

kinase activity is claimed. Thus, a mixture of 4-pyridinecarboxaldehyde and 2-amino-N-(4-trifluoromethylphenyl)benzamide (preparation given) in MeOH containing

HOAc was treated with NaBH3CN followed by 16 h stirring to give 2-[(4-pyridyl)methyl]manio-N-[4-(trifluoromethyl)phenyl]benzamide. Tested I inhibited Flt-1 VEGF receptor tyrosine kinase with IC50 = 0.18-0.56 im.

IT 269391-00-6P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of N-aryl(thio)anthranilic acid amides as VEGF receptor tyrosine kinase inhibitors)

RN 269391-00-6 HCAPLUS

CN Benzamide, 2-[[(2-methyl-4-pyridinyl)methyl]amino]-N-[3-(trifluoromethyl)phenyl]- (CA INDEX NAME)

OS.CITING REF COUNT: 38 THERE ARE 38 CAPLUS RECORDS THAT CITE THIS RECORD (42 CITINGS)

REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD, ALL CITATIONS AVAILABLE IN THE RE FORMAT